



Report Number: 23-011154/D010.R000

Report Date: 09/22/2023 ORELAP#: OR100028

Purchase Order:

09/20/23 11:41 Received:

Customer: Koi CBD, LLC

Product identity: Balance Bar - Cola Ice

Client/Metrc ID:

Laboratory ID: 23-011154-0002

Summary

Potency:					
Analyte CBD	Result	Limits	Units	Status	CBD-Total per Serving Size 277 mg/11ml
	Result	Limits	∕° Units	Status	
Analyte per 11ml CBD per 11ml	277	LIIIIIS	mg/11ml	Status	THC-Total per Serving Size <loq< td=""></loq<>
OBB por Time					(Reported in milligrams per serving)





Report Number: 23-011154/D010.R000

Report Date: 09/22/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 09/20/23 11:41

Customer: Koi CBD, LLC

14631 Best Ave

Norwalk Tennessee 90650 United States of America (USA)

Product identity: Balance Bar - Cola Ice

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-011154-0002

Evidence of Cooling: No
Temp: 21.2 °C
Relinquished by: client
Serving Size #1: 11 g
Density: 1.000 g/ml

Sample Results

Potency	Method: J AOAC 2015 V	98-6 (mod) ^þ	Units %	Batch: 2311171	Analyze: 9/21/23 9:20:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD	2.52		%	0.0730	
CBD-A	< LOQ		%	0.0730	
CBD-Total	2.52		%	0.137	
CBG	< LOQ		%	0.0730	
CBG-A	< LOQ		%	0.0730	
CBG-Total	< LOQ		%	0.136	
CBN	< LOQ		%	0.0730	
$\Delta 10$ -THC-9R	< LOQ		%	0.0730	
$\Delta 10$ -THC-9S	< LOQ		%	0.0730	
$\Delta 10$ -THC-Total	< LOQ		%	0.146	
$\Delta 8$ -THC	< LOQ		%	0.0730	
Δ9-THC	< LOQ		%	0.0730	
THC-A	< LOQ		%	0.0730	
THC-Total	< LOQ		%	0.137	
Total Cannabinoids	2.52		%		

Potency per 11ml	Method: J AOAC 2015 V98-6 (mod) ^b		Units mg/se Bat	ch: 2311171	Analyze: 9/21/23 9:20:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 11ml	277		mg/11ml	8.04	
CBD-A per 11ml	< LOQ		mg/11ml	0.730	
CBD-Total per 11ml	277		mg/11ml	15.1	
CBG per 11ml	< LOQ		mg/11ml	0.730	
CBG-A per 11ml	< LOQ		mg/11ml	0.730	
CBG-Total per 11ml	< LOQ		mg/11ml	1.36	
CBN per 11ml	< LOQ		mg/11ml	0.730	
$\Delta 10$ -THC-9R per 11ml	< LOQ		mg/11ml	0.730	
$\Delta 10$ -THC-9S per 11ml	< LOQ		mg/11ml	0.730	
$\Delta 10$ -THC-Total per 11ml	< LOQ		mg/11ml	1.46	
$\Delta 8$ -THC per 11ml	< LOQ		mg/11ml	0.730	

www.columbialaboratories.com



Report Number: 23-011154/D010.R000

Report Date: 09/22/2023 ORELAP#: OR100028

Purchase Order:

Received: 09/20/23 11:41

Potency per 11ml	Method: J AOAC 2015 V9	Units mg/se Bato	:h: 2311171	Analyze: 9/21/23 9:20:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes
$\Delta 9$ -THC per 11ml	< LOQ		mg/11ml	0.730	
THC-A per 11ml	< LOQ		mg/11ml	0.730	
THC-Total per 11ml	< LOQ		mg/11ml	1.37	





Report Number: 23-011154/D010.R000

Report Date: 09/22/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 09/20/23 11:41

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g g/ml = Gram per milliliter mg/11ml = Milligram per 11ml % = Percentage of sample $% wt = \mu g/g divided by 10,000$

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-011154/D010.R000

Report Date: 09/22/2023 ORELAP#: OR100028

Purchase Order:

Received: 09/20/23 11:41

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-0	6				Ba	atch ID: 2311171		
Laboratory Contro	l Sample							
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0773	0.0747	%	104	80.0 - 120	Acceptable	
CBDV	2	0.0776	0.0747	%	104	80.0 - 120	Acceptable	
CBE	2	0.0818	0.0797	%	103	80.0 - 120	Acceptable	
CBDA	1	0.0720	0.0749	%	96.2	90.0 - 110	Acceptable	
CBGA	1	0.0723	0.0762	%	94.9	80.0 - 120	Acceptable	
CBG	1	0.0857	0.0875	%	97.9	80.0 - 120	Acceptable	
CBD	1	0.0707	0.0728	%	97.1	90.0 - 110	Acceptable	
THCV	2	0.0788	0.0776	%	101	80.0 - 120	Acceptable	
d8THCV	2	0.0677	0.0678	%	99.8	80.0 - 120	Acceptable	
THCVA	2	0.0861	0.0738	%	117	80.0 - 120	Acceptable	
CBN	1	0.0692	0.0738	%	93.7	80.0 - 120	Acceptable	
exo-THC	2	0.0727	0.0725	%	100	80.0 - 120	Acceptable	
d9THC	1	0.0724	0.0739	%	98.0	90.0 - 110	Acceptable	
d8THC	1	0.0683	0.0719	%	94.9	90.0 - 110	Acceptable	
9S-d10THC	1	0.0762	0.0795	%	95.8	80.0 - 120	Acceptable	
CBL	2	0.0811	0.0806	%	101	80.0 - 120	Acceptable	
9R-d10THC	1	0.0713	0.0785	%	90.8	80.0 - 120	Acceptable	
CBC	2	0.0768	0.0767	%	100	80.0 - 120	Acceptable	
THCA	1	0.0699	0.0757	%	92.3	90.0 - 110	Acceptable	
CBCA	2	0.0815	0.0786	%	104	80.0 - 120	Acceptable	
CBLA	2	0.0816	0.0791	%	103	80.0 - 120	Acceptable	
d9THCP	2	0.0752	0.0769	%	97.8	80.0 - 120	Acceptable	
CBT	2	0.0763	0.0811	%	94.1	80.0 - 120	Acceptable	

2 0.0763	0.0011	70 94.1	80.0 - 120	Acceptable	
-	-		•		-
Result	LOQ	Units	Limits	Evaluation	Notes
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
<loq< td=""><td>0.0684</td><td></td><td></td><td>Acceptable</td><td></td></loq<>	0.0684			Acceptable	
<loq< td=""><td>0.0684</td><td></td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684		< 0.0684	Acceptable	
	0.0684				
<loq< td=""><td>0.0684</td><td>%</td><td>< 0.0684</td><td>Acceptable</td><td></td></loq<>	0.0684	%	< 0.0684	Acceptable	
	Result	Result LOQ	Result	Result	Result

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





Report Number: 23-011154/D010.R000

Report Date: 09/22/2023 ORELAP#: OR100028

Purchase Order:

Received: 09/20/23 11:41

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6	Batch ID: 2311171									
Sample Duplicate			Sample ID: 22-011216-0004							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes		
CBDVA	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
CBDV	0.345	0.325	0.0696	%	5.94	< 20	Acceptable			
CBE	3.36	3.40	0.0696	%	1.19	< 20	Acceptable			
CBDA	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
CBGA	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
CBG	0.340	0.268	0.0696	%	23.6	< 20	Outlier	R		
CBD	68.8	66.2	0.0696	%	3.73	< 20	Acceptable			
THCV	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
d8THCV	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
THCVA	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
CBN	1.43	1.40	0.0696	%	2.33	< 20	Acceptable			
exo-THC	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
d9THC	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
d8THC	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
CBL	0.0776	0.0763	0.0696	%	1.62	< 20	Acceptable			
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
CBC	1.43	1.28	0.0696	%	11.0	< 20	Acceptable			
THCA	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
CBCA	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
CBLA	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
d9THCP	<loq< td=""><td><loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0696</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0696	%	NA	< 20	Acceptable			
CBT	2.14	2.07	0.0696	%	3.41	< 20	Acceptable			

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

R - Relative percent difference (RPD) outside control limit.

Units of Measure:

% - Percent





Report Number: 23-011154/D010.R000

Report Date: 09/22/2023 ORELAP#: OR100028

Purchase Order:

Received: 09/20/23 11:41







23-011154/D010.R000 **Report Number:**

Report Date: 09/22/2023 ORELAP#: OR100028

Purchase Order:

Received: 09/20/23 11:41

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.